ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

·	SECTION A PRO				
	POLICY NUMBER COMPANY NAIC NUMBER				
MARIE RIVER					
STREET ADDRESS (Including A					
525 20th AL	ENUE NORTH	<u> </u>			
LOT 46.	5th ADDITION	TO RE-R	EVISED MAD	of INDIAN	BEACH
CITY	KS, BEACH!	•	•	STATE £1	ZIP CODE
TWOIN YOU	SECTION B FL	OOD INSURA	NCE RATE MAP (FIF	IM) INFORMATION	
Provide the following from t					
I. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	8. BASE FLOOD ELEVATION (in AO Zones, use depth)
125117	0004	В	3-02-83	AII	(in AO Zones, use depth)
7. Indicate the elevation dat 8. For Zones A or V, where the community's BFE:	no BFE is provided or	ı the FIRM, an	d the community has o	established a BFE fo	Other (describe on back) on the chiral of this building site, indicate
	SECTIO	NC BUILDIN	IG ELEVATION INFO	RMATION	
1. Using the Elevation Certic describes the subject but 2(a). FIRM Zones A1-A30, A of 0 7 . 5 fee (b). FIRM Zones V1-V30, A the selected diagram, I (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The flone) the highest grade level) elevated in accord. Indicate the elevation datu under Comments on Page the FIRM [see Section Bequation under Comments on Elevation reference mark (NOTE: Use of constructions of the sequired once constitutions of the lowest Section B, Item 7).	ilding's reference level AE, AH, and A (with BI AE, AH, and A (with BI I NGVD (or other FIRM E, and V (with BFE). It are elevation of between the highest grade adjacent to the building dance with the community of the elevation of the building and the elevation of the elevation of the elevation of the elevation of the elevation is based on: If a condition is based on: If a condition is complete.)	FE). The top of datum—see Some datum—see Some datum—see Some datum datum the elevations of the building during the datum the building during the datum the building during the datum the building during the some datum datum datum the elevations of the building during the some datum datum datum the elevations of the building during the some datum da	If the reference level for Section B, Item 7). If the lowest horizontal feet NGVD (or other Fixe level from the selections. Ithe selected diagram depth number is available in management ordinated bove reference level existed in measuring the set of the datum system. No (See Instructions ion	structural member of IRM datum—see Sected diagram is limited libertal liber	d diagram is at an elevation If the reference level from Ition B, Item 7). I leet above or I or below (check Iowest floor (reference Io Other (describe Int than that used on Ind show the conversion I place, in which In Elevation Certificate
	SEC	TION D COM	MUNITY INFORMATI	ON	
If the community official resis not the "lowest floor" as officed by the ord. Date of the start of construction. FEMA Form 81-31, MAY 93	defined in the communinance is:	ity's floodplain	management ordinan VD (or other FIRM dat	ce, the elevation of tum-see Section B, I	the building's "lowest


SECTION E CENTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features–If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents involves efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME		11	LICENSE NUMB	En (or Allix Soul	, .	4. 4.	
Larry L. Evans			2937				
TITLE		COMPANY			• *	• ,	
Surveyor		Evans La	ind Surveying	, luc.			
ADDRESS	And a series of the series of	CITY	•			ATE ZIP	
2194 Main Street	. Undt II			Dunedin,			
SIGNATURE X		10-09-	98		PHONE (813) 734-3821	
Copies should be made of this	Certificate for: 1) c	community of	licial, 2) insurance	e agent/comp	pany, and 3) I	bullding owner.	
			•	,		e Car	
COMMENTS:		·	•		,		
	·				,		
restant commande del contra e el contra e en contra en contra en commande de contra en contra e e en contra en contra e e en contra en c						Jahan 64	
	· · · · · · · · · · · · · · · · · · ·		<u></u>			<u> </u>	
			. * *			g to the second	
to the company of the			· · · · · · · · · · · · · · · · · · ·				



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.