FROM : CITY IND RKS BCH 727 596 4759 PHONE NO. : 813 596 4759

O.M.B. NO. 3067-0077 Expires May 31, 1996

May. 09 2005 07:47AM P2

ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

:TTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for cor	npleting this t	orm can be tound on in	e tottowing beg	/S.	
SECTION A PROPERTY INFORMATION]:	OR INSURANCE COMPANY USE	
OUILDING OWNER'S NAME Cassity Construction, Inc.				POLICY NUMBER	
STREET ACCRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER 328 Bahia Vista Drive				COMPANY NAIC NUMBER	
OTHER DESCRIPTION (Lot and Block Numbers, etc.) Lot 17, 1285 East 6.5	feet, Ba	hia Vista Subd	ivision, !		
CITY Indian Rocks Beach		-v	STATE Florida	ZIP CODE 34635	
SECTION B F	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION		
rovide the following from the proper FIRM (See	Instructions):				
1: COMMUNITY NUMBER . 2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)	
125117 0003	В	March 2, 1993	A11	10	
Indicate the elevation datum system used on the For Zones A or V, where no BFE is provided the community's BFE:	in the FIRM, ar	M the community has esti	idiished a of E it	1_: Other (describe on back) or this building site, indicate	
SECTI	ON C BUILD	NG ELEVATION INFORM	IATION		
(b). FIRM Zones V1-V30, VE, and V (with BFE the selected diagram, is at an elevation of I (c). FIRM Zone A (without BFE). The floor use below (chack one) the highest grade a (d). FIRM Zone AO. The floor used as the refe one) the highest grade adjacent to the build level) elevated in accordance with the commoder Comments on Page 2). (NOTE: If the the FIRM [see Section B, Item 7], then convequation under Comments on Page 2.) 4. Elevation reference mark used appears on Fig. 1. The reference level elevation is based on: (NOTE: Use of construction drawings is only case this certificate will only be valid for the be will be required once construction is complete.	d as the refere diacent to the barence level fro ding. If no floor munity's floodp determining the elevation daturent the elevation RM: Yes actual construction of the building during the clining during the discountry and the clining during the discountry and the clining during the discountry and the clining during during the clining during during the clining during during the clining during dur	Jeet NGVD (or other FIF nee level from the selected building. In the selected diagram is a depth number is available lain management ordinant above reference level elem used in measuring the constructions of the datum system used in the course of construction.	IM datum—see Sed diagram is in the diagram is in the diagram is in the diagram is in the diagram is different in the diagram is different in the diagram in the firm in the diagram is in the diagram in the diagram is in the diagram in	tection 8, Item 7). I feet above or ove or below (check is lowest floor (reference No Unknown O 29 Other (describe rent than that used on and show the conversion floor in place, in which tion Elevation Certificate	
The elevation of the lowest grade immediatel Section B, Item 7).	y adjacent to th	ne building is: النابات	UVDW 1991. [2].	(Of Other Firm Calonises	
•		OMMUNITY INFORMATI			
If the community official responsible for verify is not the "lowest floor" as defined in the comfloor" as defined by the ordinance is: Date of the start of construction or substantal.	munity's iloodr	NGVD (or other FIRM dat	CE, DIC CICVATION	Of the opinoning a new con-	

FF11 C 01.71 MAY 97

328 Bahia VISTE Drive


SECTION E CERTIFICATION

This certification is to be signed by a tand surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any laise statement may be punishable by line or imprisonment under 18 U.S. Code, Section 1001.

tevox~#40₹9
lorica 34685
525-6945
nd 3) building danier.
But and - 47
_



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.