1.6 DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expires March 31, 201

Renleres ell provious adilla

Important: Read the instructions on pages 1-9

A1. Building Owner's	Name DAVIS CON	ST	TION A - PROPE	TO HOLD THE	ATICIT	For Insurance Company Use:
					10/2 6/15	Policy Number
A2. Building Street Ad 467 HARBOR DRIVE	NO. CKS BEACH State	MI INCHESTICA		oute and Box N	0	Company NAIC Number
						THE BUILD OF
A3. Property Descript LOT 14, 24 TH ADD. TO	ion (Lot and Block Nu D RE-REVISED MAP	Imbers, Tax Parcel OF INDIAN BEACH	Number, Legal Descr	iption, etc.)	në njet s	
b) No. of permane enclosure(s) wi c) Total net area	e: Lat. 27.54'25" Lon hotographs of the bui Number 1 a crawlspace or encl e of crawlspace or en ent flood openings in ithin 1.0 foot above a of flood openings in A	ig. 82.50'15" Ho ilding if the Certifical losure(s): closure(s) the crawlspace or djacent grade	rizontal Datum: 17	NAD 1927 Xi ntain flood insur A9. For a b a) Squ b) No. with	rance. uilding with an attruure footage of attruction of permanent floorin 1.0 foot above	ached garage N/A sq ft
d) Engineered floo	od openings?	Yes No	avven	d) Eng	gineered flood ope	nings? Yes No
			NSURANCE RAT	E MAP (FIRM) INFORMATIO	N survey of the
B1. NFIP Community Na INDIAN ROCKS BEACH	ame & Community Nu 125117		B2. County Name PINELLAS	nekoju II sad j Nasadalija		B3. State FLORIDA
B4. Map/Panel Number 12103C0112	B5. Suffix	B6. FIRM Index Date 9-03-03	B7. FIRM Effective/Rev 9-03-0	ised Date	B8. Flood Zone(s) AE	B9. Base Flood Elevation(s) (Z AO, use base flood depth) 10.0
Designation Date N	VA		LI CBRS [] OPA	ted Area (OPA)?	☐ Yes ☒ No
Building elevations are *A new Elevation Certi Elevations – Zones A1 below according to the	SECTION e based on: ficate will be required 1-A30, AE, AH, A (with building diagram spe	C - BUILDING E Construction Draw when construction b BFE), VE, V1-V3(ecified in Item A7.	LEVATION INFOR vings*	RMATION (SU	JRVEY REQUIR Construction*	A A
Bullding elevations are *A new Elevation Certical Elevations – Zones A1	SECTION be based on: ficate will be required -A30, AE, AH, A (with building diagram specification ALL"B" *****Vertical D	C - BUILDING E Construction Draw when construction h BFE), VE, V1-V3(ecified in Item A7.	LEVATION INFOR vings*	RMATION (SU	JRVEY REQUIR Construction*	ED) Finished Construction
1. Building elevations are *A new Elevation Certical Elevations – Zones A1 below according to the Benchmark Utilized H Conversion/Comments	SECTION e based on: ificate will be required 1-A30, AE, AH, A (with building diagram special properties) ALL"B" ******Vertical D 3	C - BUILDING E Construction Draw when construction h BFE), VE, V1-V3(ecified in Item A7. I exturn NAVD'88***E	LEVATION INFORMINGS* B of the building is core, V (with BFE), AR, AUSe the same datum	RMATION (SL duilding Under (mplete. AR/A, AR/AE, / as the BFE.	JRVEY REQUIR Construction*	ED) Finished Construction A, AR/AO. Complete Items C2.a-h
Building elevations are *A new Elevation Certical Elevations – Zones A1 below according to the Benchmark Utilized H Conversion/Comments a) Top of bottom floor	SECTION be based on: ifficate will be required 1-A30, AE, AH, A (with be building diagram special of the building diagram of the building diagram of the building basement or (including basement)	C - BUILDING E Construction Draw when construction h BFE), VE, V1-V3(ecified in Item A7. I exturn NAVD'88***E	LEVATION INFORMINGS* B of the building is corple, V (with BFE), AR, AUSe the same datumn LEV, 4.59	MATION (SL duilding Under (mplete. AR/A, AR/AE, / as the BFE. Ch	JRVEY REQUIR Construction* AR/A1-A30, AR/Af- eck the measuren in meters (Puert	Finished Construction H. AR/AO. Complete Items C2.a-h ment used. o Rico only)
Bullding elevations are *A new Elevation Certic. Elevations – Zones A1 below according to the Benchmark Utilized H Conversion/Comments a) Top of bottom flood b) Top of the next high	SECTION be based on: ifficate will be required 1-A30, AE, AH, A (with be building diagram special ALL"B" *****Vertical D or (including basement gher floor	C - BUILDING E Construction Draw when construction the BFE), VE, V1-V30 ecified in Item A7. teatum NAVD'88***E	LEVATION INFORMINGS* B of the building is corporate to the same datumn below the same da	RMATION (Standard Under Complete. AR/A, AR/AE, As the BFE. Ch	JRVEY REQUIR Construction* AR/A1-A30, AR/Af- eck the measuren in meters (Puert meters (Puert	Finished Construction d. AR/AO. Complete Items C2.a-h ment used. o Rico only) o Rico only)
I. Bullding elevations are *A new Elevation Certical Elevations – Zones A1 below according to the Benchmark Utilized H Conversion/Comments a) Top of bottom flood b) Top of the next his c) Bottom of the lowed d) Attached garage (SECTION be based on: clificate will be required clifica	C - BUILDING E Construction Draw when construction h BFE), VE, V1-V30 ecified in Item A7. It eatum NAVD'88***E	LEVATION INFORMINGS* B of the building is corply. V (with BFE), AR, AUSe the same datumn believed. LEV. 4.59 Colored floor) N/A. 12.40 N/A. 11.81	RMATION (Standard Complete. AR/A, AR/AE, as the BFE. Ch feet feet feet	JRVEY REQUIR Construction* AR/A1-A30, AR/Af- eck the measuren	Finished Construction d. AR/AO. Complete Items C2.a-h ment used. o Rico only) o Rico only) o Rico only)
1. Building elevations are *A new Elevation Certical Elevations – Zones A1 below according to the Benchmark Utilized H Conversion/Comments a) Top of bottom flood b) Top of the next hig c) Bottom of the lowed d) Attached garage (e) Lowest elevation of (Describe type of e	SECTION be based on: ificate will be required if contains the requi	C - BUILDING E Construction Draw when construction h BFE), VE, V1-V30 ecified in Item A7. I eatum NAVD'88***E at, crawlspace, or en al member (V Zone ment servicing the on in Comments)	LEVATION INFORMINGS* B of the building is corply. V (with BFE), AR, AUSe the same datumn believed. LEV. 4.59 Colored floor) N/A. 12.40 N/A. 11.81	RMATION (Standard Complete. AR/A, AR/AE, as the BFE. Ch feet feet feet feet	JRVEY REQUIR Construction* AR/A1-A30, AR/Af- eck the measuren in meters (Puert meters (Puert	Finished Construction A, AR/AO. Complete Items C2.a-h ment used. O Rico only)
1. Building elevations are *A new Elevation Certical Elevations – Zones A1 below according to the Benchmark Utilized H Conversion/Comments a) Top of bottom flood b) Top of the next hig c) Bottom of the lowed d) Attached garage (e) Lowest elevation of (Describe type of e	SECTION be based on: ifficate will be required 1-A30, AE, AH, A (with be building diagram special of the second of the secon	C - BUILDING E Construction Draw when construction th BFE), VE, V1-V3(ecified in Item A7. I exturn NAVD'88***E at member (V Zone ment servicing the on in Comments) to building (LAG)	LEVATION INFORMINGS* B of the building is core core. V (with BFE), AR, AUse the same datum ELEV. 4.59 Inclosure floor) N/A	RMATION (Standard Complete. AR/A, AR/AE, As the BFE. Ch feet feet feet feet feet feet	JRVEY REQUIR Construction* AR/A1-A30, AR/Af meters (Puert meters (Puert meters (Puert meters (Puert meters (Puert meters (Puert	Finished Construction A, AR/AO. Complete Items C2.a-h ment used. O Rico only)
1. Building elevations are *A new Elevation Certic Elevations – Zones A1 below according to the Benchmark Utilized H Conversion/Comments a) Top of bottom flood b) Top of the next hig c) Bottom of the lowed d) Attached garage (e) Lowest elevation of (Describe type of e f) Lowest adjacent (f g) Highest adjacent girl	SECTION be based on: ificate will be required if contains the requi	C - BUILDING E Construction Draw when construction th BFE), VE, V1-V3(ecified in Item A7. I exturn NAVD'88***E at member (V Zone ment servicing the on in Comments) building (LAG) building (HAG)	LEVATION INFORMINGS* Be of the building is core. Core of the same datum building is core. With BFE), AR, AUSe the same datum building 12.40 N/A. 11.81 12.25 11.7 11.8	MATION (Standard Complete. AR/A, AR/AE, As the BFE. Ch feet feet feet feet feet feet	JRVEY REQUIR Construction* ARVA1-A30, ARVA1 eeck the measuren imeters (Puert meters (Puert meters (Puert meters (Puert meters (Puert meters (Puert	Finished Construction A, AR/AO. Complete Items C2.a-h ment used. O Rico only)
1. Building elevations are *A new Elevation Certical Elevations – Zones A1 below according to the Benchmark Utilized H Conversion/Comments a) Top of bottom flood b) Top of the next hig c) Bottom of the lowed d) Attached garage (e) Lowest elevation of (Describe type of e f) Lowest adjacent (f g) Highest adjacent (f	SECTION be based on: ifficate will be required 1-A30, AE, AH, A (with be building diagram specially be building diagram specially a LL,"B" *****Vertical D or (including basement gher floor est horizontal structur top of siab) of machinery or equip equipment and locatic inished) grade next to rade at lowest elevativ rade at lowest elevativ	C - BUILDING E Construction Draw when construction h BFE), VE, V1-V30 ecified in Item A7. I eaturn NAVD'88***E nt, crawispace, or en eral member (V Zone ment servicing the on in Comments) b building (LAG) o building (HAG) on of Jeck or stairs	LEVATION INFORMINGS* B of the building is corp. V (with BFE), AR, AUse the same datum ELEV. 4.58 Inclosure floor) N/A	RMATION (Standard Complete. AR/A, AR/AE, as the BFE. Ch feet feet feet feet feet feet feet feet	JRVEY REQUIR Construction* AR/A1-A30, AR/Af meters (Puert	Finished Construction H, AR/AO. Complete Items C2.a-h ment used. Rico only)
1. Bullding elevations are *A new Elevation Certi 2. Elevations – Zones A1 below according to the Benchmark Utilized H Conversion/Comments a) Top of bottom floo b) Top of the next hig c) Bottom of the lowe d) Attached garage (e) Lowest elevation of (Describe type of e f) Lowest adjacent (f g) Highest adjacent go structural support	SECTION be based on: ifficate will be required 1-A30, AE, AH, A (with 2-building diagram special spe	C - BUILDING El Construction Draw when construction h BFE), VE, V1-V30 ecified in Item A7. I eatum NAVD'88***E nt, crawlspace, or en al member (V Zone ment servicing the on in Comments) building (LAG) building (HAG) on of Jeck or stairs D - SURVEYOR, land surveyor end	LEVATION INFORMINGS* B of the building is corp. V (with BFE), AR, AUse the same datum LEV, 4.59 Inclosure floor) N/A	Chaste to the control of the control	JRVEY REQUIR Construction* AR/A1-A30, AR/Af meters (Puert	Finished Construction H. AR/AO. Complete Items C2.a-h ment used. O Rico only)
1. Building elevations are *A new Elevation Certic Elevations – Zones A1 below according to the Benchmark Utilized H Conversion/Comments a) Top of bottom flood b) Top of the next hig c) Bottom of the lowed d) Attached garage (e) Lowest elevation of (Describe type of e f) Lowest adjacent (f g) Highest adjacent girl	SECTION be based on: ifficate will be required 1-A30, AE, AH, A (with building diagram special ALL "B" *****Vertical D or (including basement gher floor est horizontal structur top of siab) of machinery or equip equipment and location inished) grade next to finished) grade next to rade at lowest elevation SECTION I gned and sealed by a te information on this fatement may be puni	C - BIJILDING El Construction Draw when construction h BFE), VE, V1-V3c ecified in Item A7. It eaturn NAVD'88***E at member (V Zone ment servicing the con in Comments) b building (LAG) building (HAG) on of Jeck or stairs D - SURVEYOR, land surveyor, eng Certinicate represer Ishable by fine or in k of form.	LEVATION INFORMINGS* B of the building is core. O, V (with BFE), AR, AUSe the same datum ELEV. 4.58 Inclosure floor) N/A	MATION (SU Liding Under Complete. AR/A, AR/AE, As the BFE. Ch feet	JRVEY REQUIR Construction* AR/A1-A30, AR/AF eeck the measuren imeters (Puert im	Finished Construction H. AR/AO. Complete Items C2.a-h ment used. O Rico only)
1. Bullding elevations are *A new Elevation Certi 2. Elevations – Zones A1 below according to the Benchmark Utilized H Conversion/Comments a) Top of bottom floo b) Top of the next hig c) Bottom of the lowe d) Attached garage (e) Lowest elevation of (Describe type of e) f) Lowest adjacent (f g) Highest adjacent (g h) Lowest adjacent garage (g h) Lowest adjacen	SECTION be based on: ifficate will be required 1-A30, AE, AH, A (with a building diagram special ALL"B" *****Vertical D cor (including basement gher floor best horizontal structur top of siab) of machinery or equip equipment and locatic inished) grade next to finished) grade next to sale at lowest elevation SECTION I gned and sealed by a be information on this of atternent may be punit s are provided on back	C - BIJILDING El Construction Draw when construction h BFE), VE, V1-V3c ecified in Item A7. It eaturn NAVD'88***E at member (V Zone ment servicing the con in Comments) b building (LAG) building (HAG) on of Jeck or stairs D - SURVEYOR, land surveyor, eng Certinicate represer Ishable by fine or in k of form.	LEVATION INFORMINGS* B of the building is corrupt, V (with BFE), AR, AUse the same datum LEV, 4.59 Inclosure floor) N/A. 12.40 Inclosure floor) N/A. 12.40 Including 12.25 11.7 11.8 Including N/A. ENGINEER, OR AUTOMORPHING IN INCLUDING IN	MATION (SU Liding Under Complete. AR/A, AR/AE, As the BFE. Ch feet	JRVEY REQUIR Construction* AR/A1-A30, AR/Af- eck the measuren in meters (Puert in meters (Finished Construction H. AR/AO. Complete Items C2.a-h ment used. O Rico only)
1. Building elevations are *A new Elevation Certi 2. Elevations – Zones And below according to the Benchmark Utilized H. Conversion/Comments a) Top of bottom flood b) Top of the next high c) Bottom of the lowed of Attached garage (e) Lowest elevation of (Describe type of eff) Lowest adjacent (find the Lowest adjacent (find the Lowest adjacent grant tructural support structural support comments of the comments	SECTION be based on: ifficate will be required ifficate will be required ifficate will be required be building diagram special control of state of the stat	C - BIJILDING El Construction Draw when construction h BFE), VE, V1-V3c ecified in Item A7. It eaturn NAVD'88***E at member (V Zone ment servicing the con in Comments) b building (LAG) building (HAG) on of Jeck or stairs D - SURVEYOR, land surveyor, eng Certinicate represer Ishable by fine or in k of form.	LEVATION INFORMINGS* of the building is cord, V (with BFE), AR, AUSe the same datum ELEV, 4.59 Inclosure floor) N/A. Is only) Including II.81 III.81 IIII.81 III.81 III.81 III.81 III.81 III.81 III.81 III.81 III.81 IIIIIII IIIIIIIIII	MATION (St. cuilding Under Complete. AR/A, AR/AE, as the BFE. Ch. feet feet feet feet feet feet feet fee	JRVEY REQUIR Construction* AR/A1-A30, AR/Af- eck the measuren in meters (Puert in meters (Finished Construction H, AR/AO. Complete Items C2.a-h ment used. O Rico only)
1. Bullding elevations are *A new Elevation Certico Elevations – Zones And below according to the Benchmark Utilized H. Conversion/Comments a) Top of bottom flood b) Top of the next high c) Bottom of the lowed of Attached garage (e) Lowest elevation of (Describe type of e) Lowest adjacent (find) Highest adjacent (find) Lowest adjacent gastructural support structural support check here if comments Tiffier's Name WILLIAM Contracts 1275 No. HIGHLAND SURVEYOR	SECTION be based on: ifficate will be required 1-A30, AE, AH, A (with be building diagram special ALL"B" *****Vertical D or (including basement gher floor best horizontal structur top of siab) or machinery or equip equipment and location finished) grade next to finished) grade next to rade at lowest elevation SECTION I gned and sealed by a be information on this of atternent may be punits are provided on back C. KEATING	C - BIJILDING El Construction Draw when construction th BFE), VE, V1-V3(ectified in Item A7. It thatum NAVD'88***E at member (V Zone and member (V Zone and member (V Zone and In Comments) to building (LAG) to building (HAG)	LEVATION INFORMINGS* of the building is cord, V (with BFE), AR, AUSe the same datum ELEV, 4.59 Inclosure floor) N/A. Is only) Including II.81 III.81 IIII.81 III.81 III.81 III.81 III.81 III.81 III.81 III.81 III.81 IIIIIII IIIIIIIIII	MATION (SUbuilding Under Complete. AR/A, AR/AE, As the BFE. Character of feet feet feet feet feet feet feet f	JRVEY REQUIR Construction* AR/A1-A30, AR/Af- eck the measuren in meters (Puert in meters (Finished Construction H. AR/AO. Complete Items C2.a-h ment used. O Rico only)
1. Building elevations are *A new Elevation Certi 2. Elevations – Zones A1 below according to the Benchmark Utilized H Conversion/Comments a) Top of bottom floo b) Top of the next hig c) Bottom of the lowe d) Attached garage (e) Lowest elevation of (Describe type of e) f) Lowest adjacent (f g) Highest adjacent (f h) Lowest adjacent go structural support is certification is to be signormation. I certify that the derstand that any false st Check here if comments rtifier's Name WILLIAM Co	SECTION be based on: ifficate will be required 1-A30, AE, AH, A (with be building diagram special ALL"B" *****Vertical D or (including basement gher floor best horizontal structur top of siab) or machinery or equip equipment and location finished) grade next to finished) grade next to rade at lowest elevation SECTION I gned and sealed by a be information on this of atternent may be punits are provided on back C. KEATING	C - BIJILDING E Construction Draw when construction h BFE), VE, V1-V3c ecified in Item A7. It exturn NAVD'88***E Int, crawispace, or en all member (V Zone ment servicing the con in Comments) b building (LAG) b building (LAG) on of Jeck or stairs D - SURVEYOR, land surveyor, eng Certinicate represer Ishable by fine or in k of form. We mpany Name ALL	LEVATION INFORMINGS* B of the building is core. O, V (with BFE), AR, A Use the same datum ELEV. 4.59 Inclosure floor) N/A	MATION (Standard Complete. AR/A, AR/AE, As the BFE. Character of feet feet feet feet feet feet feet f	JRVEY REQUIR Construction* AR/A1-A30, AR/AF Beck the measuren	Finished Construction H. AR/AO. Complete Items C2.a-h ment used. O Rico only)

Ruilding Street Address /	e spaces, copy the corresponding informa	Deute and Section A.	a language and	For Insurance Company Use:
	including Apt., Unit, Suite, and/or Bidg. No.) or P.O. RBOR DRIVE NO.	. HOUTE AND BOX NO.		Policy Number
City INDIAN Z	CCRS BEACH FLOROIDA	33785		Company NAIC Number
	SECTION D - SURVEYOR, ENGINEER, OF	ARCHITECT CERTIFIC	ATION (CONT	INUED)
Copy both sides of this El	evation Certificate for (1) community official, (2) inst			
Comments		Titu = textic dog -n	TO VALUE OF	21.7252.32.32.32
LINE	AT C / 3	ONERS AT ELEV.	OF 12.25	
1111:11	RIGHT SIDE OF HOUS		11 To 12 May 10 12 12 12 12 12 12 12 12 12 12 12 12 12	
Edgradu Colo) 7-//	842	Level NEW P.
OFOTION F TW	podrišje u 1984 spetu Bole Igau			Check here if attachmer
SECTION E - BUIL	DING ELEVATION INFORMATION (SURVEY	NOT REQUIRED) FOR	ZONE AO AN	D ZONE A (WITHOUT BFE)
For Zones AO and A (with	out BFE), complete items E1-E5. If the Certificate	is intended to support a LOS	MA or LOMR-F re	equest, complete Sections A. B.
and or . or . comb E . E . , .	see natural grade, in available. Office the filedsular	mem usea. In Puemo Rico (INIV. enter meter	
grade (in id) and the	ormation for the following and check the appropriate lowest adjacent grade (LAG).		elevation is abo	ve or below the highest adjacent
a) Top of bottom floo b) Top of bottom floo	r (including basement, crawispace, or enclosure) is r (including basement, crawispace, or enclosure) is		meters al	pove or Delow the HAG.
E2. For Building Diagram	s 6-9 with permanent flood openings provided in Se	action A Items 8 and/or 9 (ea	o page 9 0 of I	pove or below the LAG.
(elevation C2.b in the E3. Attached garage (top		et meters above or above or below the	LI Delow the H.	AG.
4. Top of platform of ma	chinery and/or equipment servicing the building is	. feet n	neters above	or Delow the HAG
Zone AO only: If no f	lood depth number is available, is the top of the bol	ttom floor elevated in accord	ance with the co	mmunity's floodplain managemer
Ordinance: Lifes	THE local official must cent	my this information in Section	n G.	
	SECTION F - PROPERTY OWNER (OR OWN			
Zone AO must sign here.	r's authorized representative who completes Section The statements in Sections A, B, and E are correct	ons A, B, and E for Zone A (ct to the best of mv knowle.	without a FEMA-	issued or community-issued BFE)
	Authorized Representative's Name	1 Kolenski 200 - 1981 - 1		
idress		City	State	ZIP Code
gnatur e		E Commence of the Commence of		ZIF Code
		Date Control of the C	Telephone	
mments	AND THE PROPERTY OF THE PROPER			
			Wales I was in	
	SECTION G - COMMUNITY I	NFORMATION (OPTION	AL)	☐ Check here if attachment
local official who is authori	zed by law or ordinance to administer the commun	ity's floodolain managemen	t ordinance éan	complete Sections A. B. C. (or E)
	and sight beto	w. Check the meastrethen	i usea in nems (38 and G9.
is authorized by law f	ection C was taken from other documentation that to certify elevation information. (Indicate the source	has been signed and sealed e and date of the elevation (by a licensed so	urveyor, engineer, or architect who
A community official	completed Section E for a building located in Zone	A (without a FEMA-issued	or community-is:	sued BFE) or Zone AO.
The following informs	tion (Items G4-G9) is provided for community floor	dplain management purpose	96.	
Permit Number	G5. Date Permit Issued	G6. Date Certifica	ate Of Compliane	ce/Occupancy Issued
This permit has been issu	ed for: New Construction Substar			
	t floor (including basement) of the building:	ntial Improvement	(DD) Datum	
	of flooding at the building site:	feet meters		
Community's design flood		leet _ meters		
al Official's Name		-, we fightly come		
	The standard of the Charles	Title		
munity Name		Telephone		
ature		Date		80 300 300 300
		Date	10	
		Date		
ature		Date		

MA Form 01 21 Mar 00



City of Indian Rocks Beach

1507 Bay Palm Boulevard • Indian Rocks Beach, Florida 33785 • www.indian-rocks-beach.com

Administrative (727) 595-2517 (727) 595-4627 (Fax)

City Clerk (727) 517-0204

Public Services (727) 595-6889 (727) 595-4627 (Fax) (727) 593-5137 (Fax) (727) 596-4759 (Fax) (727) 596-4759 (Fax)

Building

Planning & Zoning (727) 517-0404 (727) 517-0404

Memo of Review For Correctness and Completion

The attached FEMA Elevation Certificate has been reviewed by this office. The items noted below are not correct on the attached form and should read as entered on this page.

	ATION	For Insurance Company Use:			
A1. Building Owner's Nam		Policy Number Company NAIC Number			
A2. Building Street Addres 467 HARBOR DRIVE No	0.				
City INDIAN ROCKS	BEACH S	tate FL ZIP Code 3	3785	MARKET TO STATE OF THE STATE OF	
A3. Property Description (Lot and Block Nu	ımbers, Tax Parcel Nui	mber, Legal Description, etc.)		
	it Long. ographs of the bu	Horiz	cessory, etc.) ontal Datum:		
A8. For a building with a c a) Square footage of b) No. of permanent enclosure(s) withir c) Total net area of fl d) Engineered flood of	rawlspace or end crawlspace or end flood openings in a 1.0 foot above a ood openings in	nclosure(s) the crawlspace or adjacent grade	sq ft a) Sq b) No witt sq in c) Tol	ouilding with an attac uare footage of attac . of permanent flood hin 1.0 foot above ac al net area of flood o gineered flood openi	ched garage sq ft openings in the attached garage djacent grade openings in A9.b sq in
	SEC	TION B - FLOOD IN	SURANCE RATE MAP (FIRM	M) INFORMATION	
B1. NFIP Community Name	e & Community N	lumber B	2. County Name		B3. State
B4. Map/Panel Number	B5. Suffix	B6. FIRM Index Date	B7. FIRM Panel Effective/Revised Date	B8. Flood Zone(s)	B9. Base Flood Elevation(s) (Zone AO, use base flood depth)
☐ FIS Profile B11. Indicate elevation datu	☐ FIRM Im used for BFE in a Coastal Barr	☐ Community Determin Item B9: ☐ NGVD	•	Other (Describe	e)
7					
Local Official's Name	Danny E. Tayl	or	Title Pla	nning and Zoning D	irector
Community Name INDIAN	ROCKS BEACH	, FLORIDA	Telephone	727-517-0404	
Signature Dawn	42.	bul of	Date Ju	ily 30, 2015	
Comments		- yu	- 11175 - WW	10 10 100000000000000000000000000000000	