103 1341 And

O.M.B. NO. 3067-0077 Expires May 31, 1996

ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

JENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to Je elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate; and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

| | • • | FOR INSURANCE COMPANY USE | | | |
|--|---|---|--|---|---|
| BUILDING OWNER'S NAME | POLICY NUMBER | | | | |
| James A. Res | COMPANY NAIC NUMBER | | | | |
| 12th Avenue | | | | | |
| OTHER DESCRIPTION (Lot and F | tlock Numbers, etc.) | | | *** 05 7 | AND THE PROPERTY CHICK |
| Lot 2, Blk | 77 of FIRST | ADDITION | TO RE_REVISED | | NDIAN BEACH SUBN |
| CITY | | | | STATE | ZIP CODE |
| | SECTION B FI | OOD INSURA | NCE RATE MAP (FIRM) | INFORMATION | |
| rovide the following from th | ne proper FIRM (See | Instructions): | | | |
| 1. COMMUNITY NUMBER | 2. PANEL NUMBER | 3. SUFFIX | 4. DATE OF FIRM INDEX | 5. FIRM ZONE | 6. BASE FLOOD ELEVATION (in AO Zones, use depth) |
| 125117 | 0003 | В | 3/2/83 | "A11" | 10' |
| For Zones A or V, where the community's BFE: | no BFE is provided o | n the FIRM, an | d the community has esta FIRM datum-see Section | ablished a BFE f | Other (describe on back) or this building site, indicate |
| | SECTION | ON C BUILDI | NG ELEVATION INFORM | IATION | |
| (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The floone) the highest grade level) elevated in accord. Indicate the elevation datunder Comments on Page | BFE). The floor used the highest grade action used as the refer adjacent to the build dance with the commum system used in de 2). (NOTE: If the 63, Item 7], then conve | d as the referer ljacent to the b rence level fron ing. If no flood nunity's floodpl etermining the elevation datun | uilding. n the selected diagram is depth number is availabl ain management ordinand above reference level ele n used in measuring the e | d diagram is diagram is diagram is diet a e, is the building ce? Tes vations: X NGV | bove or below (check 's lowest floor (reference No Unknown D'29 Other (describe |
| . Elevation reference mark | | RM: 🗌 Yes 🗵 | No (See Instructions o | n Page 4) | |
| i. The reference level eleva (NOTE: Use of construct case this certificate will on will be required once cons | tion is based on: ion drawings is only to the bustruction is complete. | actual constru valid if the build ilding during the) | ction construction di ling does not yet have the e course of construction. | awings reference level A post-construc | tion Elevation Certificate |
| The elevation of the lower Section B, Item 7). | st grade immediately | adjacent to the | building is: 4 | .[9] feet NGVD | (or other FIRM datum-see |
| 3 | · | ECTION D CC | MMUNITY INFORMATION | N | · |
| the community official renot the "lowest floor" as floor" as defined by the or Date of the start of constr | defined in the commodinance is: | nunity's floodpla | ain management ordinand IGVD (or other FIRM datu | ce, the elevation | ndicated in Section C, Item 1 of the building's "lowest , B, Item 7). |


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

| • | • | | | | A CANADA |
|---|--------------|----------------------|--------------------------|-------------------|---|
| CERTIFIER'S NAME JOHN MELLA | | | CENSE NUMBER (or Affix S | Seal) | #1988 |
| TITLE President | JOHN | COMPANY NAME MELLA & | ASSOCIATES, | INC. | ₩ 2 <u>6</u> |
| ADDRESS 5804(N. 22nd Street) | | Tampa | The second second | Florida | 33610 |
| SIGNATURE | | | 6/20/95 | 232E9441 | AEGIS TEC |
| Copies should be made of this Certificate | for: 1) comm | unity official, | 2) Insurance agent/c | ompany, and 3) bu | uilding owner. |
| COMMENTS: | | | | | |
| COMME (VI O. | ş #1.5 ş | | | | |
| | | | · | | |
| 20.50 | | , | | | व (|
| | | ١ | | | · · · · · · · · · · · · · · · · · · · |



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.