ELEVATION CERTIFICATE

O.M.B. No. 3067-0077 Expires July 31, 1999

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY INFORMATION				FOR INSURANCE COMPANY USE	
BUILDING OWNER'S NAME				POLICY NUMBER	
M ^C ba ffaga					
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. No. 1200 Bay Pine B		COMPANY NAIC NUMBER			
OTHER DESCRIPTION (Lot and Block Numbers, etc.) Lot-11, Block 84, 15f. Add. 7. CITY	b Re- Revis	ed Map of Indian Ba	ach Sub - Pa	4 1 Book 23, pg. 11	
Indian Rocks Beach			STATE Florida	ZIP CODE 33785	
SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION					
Provide the following from the proper FIRM (See	Instructions):				
1. COMMUNITY NUMBER 2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX 3/2/83	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)	
		l		10	
7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): VGVD '29 Other (describe on back) 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE: Feet NGVD (or other FIRM datum—see Section B, Item 7).					
SECTION	ON C BUILDI	NG ELEVATION INFORM	IATION		
describes the subject building's reference level					
Section B, Item 7).					
SECTION D COMMUNITY INFORMATION					
1. If the community official responsible for verifying is not the "lowest floor" as defined in the community floor" as defined by the ordinance is:	nunity's floodp	lain management ordinan NGVD (or other FIRM dati	ce, the elevation	of the building's "lowest	

SECTION E CERTIFICATION


This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.



Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code Section 1001.

		ALL SECTION OF THE PARTY OF THE
CERTIFIER'S NAME		BER (or Affix Seal)
Thomas H. Sage TITLE Land Surveyor	COMPANY NAME	
Land Surveyor	Harry W. Mark	ow The
ADDRESS 3941 68th Ave. No	Pinellas Park	STATE ZIP
SIGNATURE Thomas H. Sage	D. 470	97 - B13 - 575 6945
Copies should be made of this Certificate	for: 1) community official, 2) insuran	ce agent/company, and 3) building owner.
		is a stilt residence & is
COMMENTS: /Suraing 15 Co	Will way it at the	
all open below at	time of survey	
	/	
		4



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.

