Q.M.B. No 301 7.0077 Expires May 3 ', 1993

The state of the s

## **ELEVATION CERTIFICATE**

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to elemine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LON R).

Instructions for completing this form can be found on the following pages.

	SECTION A PROPERTY INFORMATION			FOR INSURANCE COMPANY USE
RIS Development				POLICY NUMBER
STREET ADDRESS (Including Ant	Unit, Suite and/or Bldg.	Number) OR P.O. ROUTE AND BOX NUMBER		COMPANY
CTHER DESCRIPTION (Lot and B	may an	Circle		COMPANY NAIC NUMBER
45 45 769 70 8	7/	organista (m. 1945). 1904 m. – Laurinia Statista (m. 1948).		
Indian Rock	s Beach		STATE	ZIP CODE
The Control of the Co	SECTION B F	LOOD INSURANCE RATE MAP (FIRM)	INFORMATION	34630
Provide the following from th	e proper FIRM (See	Instructions):		
M.1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX 4. DATE OF FIRM INDEX	S. FIRM ZONE	
12500 and	0003	B 3-84	A-11.	8. BASE FLOOD ELEVATION (In AO Zones, use depth)
7 Indicate the elevation datu 8 For Zones A or V, where r the community's BFE:		the FIRM for Base Flood Elevations (BFI on the FIRM, and the community has est NGVD (or other FIRM datum—see Section		Other (describe on bad ) or this building site, indicate
rang til Ganto til savaren		ON C BUILDING ELEVATION INFORM		
2(a). FIRM Zones A1-A30, A of I HI (B) feet b). FIRM Zones Vi-V30, V the selected diagram, is (c). FIRM Zone A (without I below (check one) (d). FIRM Zone AO. The fil one) the highest grade clevel) elevated in accor indicate the elevation date under Comments on Page the FIRM [see Section E equation under Comment Elevation reference mark The reference level elevat (NOTE: Use of construct case this certificate will on will be required once cons	AE, AH, and A (with NGVD (or other FI) (E, and V (with BFE) at an elevation of BFE). The floor use the highest grade a corrused as the refe adjacent to the build dance with the comun. System used in case (NOTE: If the light of	BFE). The top of the reference level flood RM datum—see Section B, Item 7).  1. The bottom of the lowest horizontal state in the lowest horizontal state in the selected diagram is diagram to the building.  If no flood depth number is available munity's floodplain management ordinant determining the above reference level elevation datum used in measuring the elevation datum used in measuring the left the elevations to the datum system unity actual construction.  RM: Yes No (See Instructions of valid if the building does not yet have the citating during the course of construction.	cor from the select cructural member RM datum—see Sind diagram is in the building ace? The building evations: Not seed on the FIRM on Page 4) crawings a reference level A post-construction of the	of the reference level from section B, Item 7).  Lifeet above C or below (chec or below Unknown Unknown Unknown and show the conversion floor in place, in which tion Elevation Certificate
Section B, Item 7).	y Alade (Luwediate)	y adjacent to the building is: 11 1 万	J.E. feet NGVD	(or other FIRM datum-see
A 10 1 Marketine Secretary of the		ECTION D COMMUNITY INFORMATION	ON	
2. Date of the start of constr		ing building elevations specifies that the munity's floodplain management ordinan Limbourge feet NGVD (or other FIRM date improvement		
FEMA Form 81-31, MAY 90		REPLACES ALL PREVIOUS EDITIONS	SEE	REVERSE SIDE FOR CONTINUA TO

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required certification. In the case of Zones AO and A (without a FEMA or community issued BFE); a building official, a property owner, or an architect who is authorized by state or local law to certify elevation certification.

Same Allegations

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall; enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME


Dav. 2 F Ramsey

COMPANY NAME

COMPANY N

COMMENTS

113



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.