5

ELEVATION CERTIFICATE O.M.B. NO. 3067-0077 Expires May 31, 1996

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

	SECTION A PRO				FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME TED TECZA					POLICY NUMBER
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER 1904 GULF BOULEVARD					COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and E		WAR OF I	MOTAN DESCUE		
LOT 19, BLK. 17	KE-KEATOED	MAP UF	INDIAN_BEACH_P	STATE	ZIP CODE
INDIAN ROCKS F	BEACH			FLORIDA	
	SECTION B FL	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION	
Provide the following from the	he proper FIRM (See	Instructions):			
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
125117	0003	В	03-01-83	A-11	10!
7. Indicate the elevation dat 8. For Zones A or V, where the community's BFE:	no BFE is provided of	n the FIRM, an	id the community has est	ablished a BFE i	Other (describe on back) or this building site, indicate
	SECTI	ON C BUILDI	NG ELEVATION INFORM	MATION	
of 1 8 3 fee (b) FIRM Zones V1-V30, the selected diagram, (c) FIRM Zone A (without below (check one) (d) FIRM Zone AO. The one) the highest grade level) elevated in accordance 3. Indicate the elevation da under Comments on Par the FIRM [see Section equation under Comment 4. Elevation reference man 5. The reference level elev (NOTE: Use of construct case this certificate will of will be required once con	AE, AH, and A (with let NGVD (or other FIF VE, and V (with BFE) is at an elevation of the BFE). The floor used the highest grade at floor used as the reference adjacent to the build ordance with the compatum system used in the system used in the B, Item 7j, then convents on Page 2.) It was appears on First the system of t	BFE). The top RM datum—see The bottom of th	Section B, Item 7). of the lowest horizontal state of the selected diagram is a depth number is available and management ordinary above reference level elements of the datum system of the lowest	ructural member RM datum—see Set diagram is set diagram is feet a let, is the building once? Yes evations:	above or below (check g's lowest floor (reference No Unknown VD '29 Other (describe erent than that used on A and show the conversion of the floor in place, in which ction Elevation Certificate
6. The elevation of the low Section B, Item 7).	est grade immediatel	y adjacent to th	ne building is:	J.LU feet NGVI	O (or other FIRM datum-see
		SECTION D C	OMMUNITY INFORMAT	ION	
1. If the community official is not the "lowest floor" floor" as defined by the 2. Date of the start of constant is a second of the start of the start of the second	responsible for verify as defined in the com ordinance is:	ring building ele munity's floodp	evations specifies that the plain management ordina NGVD (or other FIRM da	reference level nce, the elevatio	indicated in Section C, Item 1 n of the building's "lowest n B, Item 7).

SECTION E CERTIFICATION


SHARETH DARK

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain mahagement information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CEAUHEN AME PENNY	LICENSE NUMBER (or Affix S	Geal) #4931
TLAND SURVEYOR	COMPANY NAME.R. PENNY & ASS	OCIATES, INC.
NUMBES SEMINOLE BLVD. SUITE 5	CITY SEMINOLE	FIATE337,72 ZIP
SIGNATURE Lauren R. Parmy	11-20-97	PHONE 3-398-4360
COMMENTS:		
BASIS OF BENCHMARK HALL I	3	
PINELLAS COUNTY DISK ELEV	r = 227 (ppompoven)	
	7. = 5.337 (DESTRUYED)	
BENCHMARK: FIRE HYDRANT	- WEST BOLT TOP FLANGE	
BENCHMARK: FIRE HYDRANT LOCATION: 1518 - GULF BO	- WEST BOLT TOP FLANGE	



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.