DEPARTMENT OF HOMELAND SECURITY

Federal Emergency Management Agency ELEVATION CERTIFICATE

IMPORTANT: FOLLOW THE INSTRUCTIONS ON PAGES 9-16

OMB Control Number: 1660-0008

Page 3 of 15

A1. Building Owner's Name ANGIE SHERIDAN A2. Building Street Address (including Apt., Unit, Salte, and/or Bidg, No.) or P.O. Rouse and Company NAIC Namber. City NDIAN ROCKS BEACH A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.). PARCEL 06-30-16-12402-000-0200, LDT A, BROWNS ADD TO RE-REV MAP, PB 069, PG 069, PINELLAS COUNTY, FLORIDA A6. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) A7. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) A8. Listitudes Conglister: Lat27,9077
Box No. 470 HARBOR DRIVE NORTH City NDAM ROCKS BEACH A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) PARCEL 06-30-16-12402-000-0200, LDT A, BROWNS ADD TO RE-REY MAP, PB 068, PG 060, PINELLAS COUNTY, FLORIDA A5. Building Use (e.g., Recidential, Non-Recidential, Addillon, Accessory, etc.) A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance. A7. Building Use (e.g., Recidential, Non-Recidential, Addillon, Accessory, etc.) A8. For a building with a crawispace or enclosure(s): A9. For a building with an estached garage: a) Square footage of crawispace or enclosure(s): A9. For a building with an estached garage: b) Number of permanent flood openings in the crawispace or enclosure(s) within 1.0 foot shows adjacent grade b) Number of permanent flood openings in A8.b A0. For a building within 1.0 foot shows adjacent grade b) Number of permanent flood openings in A8.b A0. For a building within 1.0 foot shows adjacent grade b) Number of permanent flood openings in A8.b A0. Section B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION B1. NIPP Community Number B1. NIPP Community Number B2. County Number B3. State FINDAN ROCKS CITY OF 125117 B4. MapPanel Number B5. Suffix B6. FIRM Index Date B7. Rowfised Date B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9: CFIS Profile K FIRM C Community Determined C Other/Source: B11. Indicate devation datum used for BFE in Item B9: NoVO 1929 & NAVD 1988 C Other/Source: B12. Is the building located in a Coestal Barriar Resources System (CBRS) area or Otherwise Protected Area (CPA)? C yee K No Designation Date: NA CBRS C OPA SECTION G - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED) C3. Building elevations are based on: C Construction Drawings C Building Under Construction 60 (PA)? Type K No Designation Date: NA CBRS C OPA SECTION G - BUILDING BEVATION INFORMATION (SURVEY REQUIRED) C3. Building elevation stat
A3. Property Description (Lot and Block Numbers, Tax Parrod Number; Legal Description, etc.) PARCEL 08-30-16-12402-000-00240, LOT A, BROWNS ADD TO RE-REV MAP, PB 068, PG 080, PINELLAS COUNTY, FLORIDA A4. Bullding Use (e.g., Restdential, Non-Residential, Addition, Accessory, etc.) A5. Latitude/Longitude: Lat
A3. Property Description (Lot and Block Numbers, Tax Parrod Number; Legal Description, etc.) PARCEL 08-30-16-12402-000-00240, LOT A, BROWNS ADD TO RE-REV MAP, PB 068, PG 080, PINELLAS COUNTY, FLORIDA A4. Bullding Use (e.g., Restdential, Non-Residential, Addition, Accessory, etc.) A5. Latitude/Longitude: Lat
A6. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) A5. LatitudeiLongitude: Lat. 27,9077 Long. 42,5379 Horizontal Delum: (**NAD 1927 (**6* NAD 1963)) A6. Altach at least 2 pholographs of the building if the Certificate is being used to obtain flood insurance. A7. Building Diagram Number 1.A A8. For a building with a crawispace or enclosure(s): A9. For a building with an attached garage: B0. Number of permanent flood openings in A9. Do Na. B1. Number of permanent flood openings in A9. Do Na. B1. Number of permanent flood openings in A9. Do Na. B2. County Name attached garage within 1.0 floot above adjacent grade within 1.0 floot garage within 1.0 floot garage grade floot gar
A5. Latitude/Longitude: Lat
A6. Attach at least 2 photographs of the building if the Cartificate is being used to obtain flood insurance. A7. Building Diagram Number 1-A A8. For a building with a crawlspace or enclosure(s): A9. For a building with an attached garage 501 sq B) Square footage of crawlspace or enclosure(s) NA sq fi a) Square footage of attached garage 501 sq b) Number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade b) Number of permanent flood openings in A8.b NA sq fi c) Total net area of flood openings in A8.b NA sq fi c) Total net area of flood openings in A8.b NA sq fi c) Total net area of flood openings in A8.b NA sq fi c) Total net area of flood openings in A8.b NA sq fi c) Engineered flood openings i
A7. Bullding Diagram Number 1-A A8. For a building with a craw/space or enclosure(s): A9. For a building with an eitached garage: a) Square footage of craw/space or enclosure(s) NA sq fi a) Square footage of eitached garage 501 sq b) Number of permanent flood openings in the craw/space or enclosure(s) within 1.0 foot shows adjacent grade b) Number of permanent flood openings in the craw/space or enclosure(s) within 1.0 foot shows adjacent grade NA sq fi c) Total net area of flood openings in A8.b NA sq fi c) Total net area of flood openings in A9.b SECTION B - FLOOD INSURANCE RATE MAP (FRIM) INFORMATION B1. NFIP Community Name & Community Number INDIAN ROCKS CITY OF 125117 B4. Map/Panel Number B6. Suffix B6. FIRM Index Date B7. FIRM Panel Effective Rev/sed Date 12103C0112 G GUS/BIZ009 D90032003 AE B10.0 FEET B10. Indicate the source of the Base Flood Elevation (B/FE) data or base flood depth entered in Item 89: CFIS Profile K* FIRM Community Determined Cuther/Source: B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 & NAVD 1988 C Other/Source: B12. Is the building located in a Coestal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? Yes K No Designation Date: NA CBRS OPA SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED) C1. Building elevations are based on: C Construction Drawfings* C Building Under Construction & Finished Construction C2. Elevations - Zones A1 - A30, AE, AH, A (with BFE), VE, V1 - V30, V (with BFE), AR, AR/A, AB/AE, AR/AI - A30, AR/AH, AR/AO, mplete Items C2.a - b below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters. A new Elevation datum used for the elevations in Items a) through in) below. NGVD 1929 K NAVD 1988 Check the measurement used Cother/Source: Deturm used for building elevations must be the same as that used for the BFE. Check the measurement used
A8. For a building with a crawlepace or enclosure(s): a) Square footage of crawlepace or enclosure(s) NA sq ft a) Square footage of attached garage 501 sq b) Number of permanent flood openings in the crawlepace or enclosure(s) within 1.0 foot above adjacent grade b) Number of permanent flood openings in the crawlepace or enclosure(s) within 1.0 foot above adjacent grade c) Total nat area of flood openings in A8.b NA sq in c) Total nat area of flood openings in A9.b NA Sq in c) Total nat area of flood openings in A9.b NA Sq in c) Total nat area of flood openings in A9.b NA Sq in c) Total nat area of flood openings in A9.b NA Sq in c) Total nat area of flood openings in A9.b NA Sq in c) Total nat area of flood openings in A9.b NA Sq in c) Total nat area of flood
a) Square footage of crawlspace or enclosure(s) NA sq ft a) Square footage of attached garage 501 sq b) Number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 koot advove adjacent grade NA sq ft b) Number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 koot advove adjacent grade NA sq ft c) Total net area of flood openings in A9.b NA sq ft c) Total net area of flood openings in A9.b NA sq ft c) Total net area of flood openings in A9.b NA sq ft c) Total net area of flood openings in A9.b NA sq ft c) Total net area of flood openings in A9.b NA sq ft c) Engineered flood openings in A9.b PA sq ft c) Engineered flood openings in A9.b PA sq ft c) Engineered flood openings in A9.b PA sq ft c) Engineered flood openings in A9.b PA sq ft c) Engineered
b) Number of permanent flood openings in the crawlespace or enclosure(s) within 1.0 lood above adjacent grade NA sq in c) Total net area of flood openings in A8.b NA sq in c) Total net area of flood openings
b) Number of permanent flood openings in the crawfspace or enclosure(s) within 1.0 foot shove adjacent grade c) Total net area of flood openings in A8.b NA sq in c) Total net area of flood openings in A8.b N
d) Engineered flood openings? Yes XNo d) Engineered flood openings? Yes XNo SECTION B - FLOOD INSURANCE RATE MAP (FRIsh) INFORMATION B1. NFIP Community Name & Community Number INDIAN ROCKS CITY OF 125117 B4. Map/Panel Number B6. Suffix B6. FIRM Index Date B7. FIRM Panel Effective/ B8. Flood Zone(s) B9. Base Flood Elevation(s) (Zone AO, use base flood depth Revised Date B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9: FIS Profile K FIRM Community Determined C Other/Source: B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 & NAVD 1988 C Other/Source: B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? Yes K No Designation Date: NA CBRS OPA SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED) C1. Building elevations are based on: Construction Drawings* Building Under Construction* & Finished Construction C2. Elevations - Zones A1 - A30, AE, AH, A (with BFE), VE, V1 - V30, V (with BFE), AR, AR/A, AR/AE, AR/A1 - A30, AR/AH, AR/AO, mplete Items C2.a - h below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters. A new Elevation Certificate will be required when construction of the building is complete. Benchmark Utilized: LOCAL 467 5-6-15 Vertical Datum: NAVD 1988 Indicate elevations must be the same as that used for the BFE. Check the measurement used
SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION B1. NFIP Community Name & Community Number INDIAN ROCKS CITY OF 125117 B4. Map/Panel Number B5. Suffix B6. FIRM Index Date B7. FIRM Panel Effective/ Revised Date FL. B4. Map/Panel Number B5. Suffix B6. FIRM Index Date B7. FIRM Panel Effective/ Revised Date FL. B5. Flood Zone(s) B9. Base Flood Elevation(s) (Zone AO, use base flood depth 10.0 FEET 10.0 FEE
B1. NFIP Community Name & Community Number INDIAN ROCKS CITY OF 125117 B4. Map/Panel Number B5. Suffix B6. FIRM Index Date Revised Date B7. FIRM Panel Effective/ Revised Date B8. Flood Zone(s) (Zone AO, use base flood depth 10.0 FEET B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9: FIS Profile IX FIRM Community Determined Cother/Source: B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 X NAVD 1988 Cother/Source: B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? Yes IX No Designation Date: NA CBRS COPA SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED) C1. Building elevations are based on: Construction Drawings* Building Under Construction* X Finished Construction C2. Elevations - Zones A1 - A30, AE, AH, A (with BFE), VE, V1 - V30, V (with BFE), AR, AR/A, AR/AE, AR/A1 - A30, AR/AH, AR/AO, implete Items C2.a -h below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters. A new Elevation Certificate will be required when construction of the building is complete. Benchmark Utilized: LOCAL 467 5-5-15 Vertical Datum: NAVD 1988 Indicate elevation datum used for the elevations in Items a) through h) below. NGVD 1929 X NAVD 1988 Cother/Source: Deturn used for building elevations must be the same as that used for the BFE. Check the measurement used
INDIAN ROCKS CITY OF 125117 B4. Map/Panel Number B5. Suffix B6. FIRM Index Date B7. FIRM Panel Effective/ Revised Date B8. Flood Zone(s) B9. Base Flood Elevation(s) (Zone AO, use base flood depth 10.0 FEET B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9: (FIS Profile K FIRM (Community Determined Other/Source: B11. Indicate elevation datum used for BFE in Item B9: (NGVD 1929 & NAVD 1988 Other/Source: B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? (Yes K No Designation Date: NA CBRS OPA SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED) C1. Building elevations are based on: (Construction Drawings* Building Under Construction* (Finished Construction C2. Elevations - Zones A1 - A30, AE, AH, A (with BFE), VE, V1 - V30, V (with BFE), AR, AR/A, AR/AE, AR/A1 - A30, AR/AH, AR/AO, mplete Items C2.a - h below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters. A new Elevation Certificate will be required when construction of the building is complete. Benchmark Utilized: LOCAL 467 5-5-15 Vertical Datum: NAVD 1988 Indicate elevation datum used for the elevations in Items a) through h) below. (NGVD 1929 & NAVD 1988 Indicate elevations must be the same as that used for the BFE. Check the measurement used
B4. Map/Panel Number B5. Suffix B6. FIRM Index Date B7. FIRM Panel Effective/ Revised Date B8. Flood Zone(s) B9. Base Flood Elevation(s) (Zone AO, use base flood depth 10.0 FEET B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9: (FIS Profile IX FIRM Community Determined Other/Source: B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 & NAVD 1988 Other/Source: B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? Yes IX No Designation Date: NA CBRS OPA SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED) C1. Building elevations are based on: Construction Drawings* Building Under Construction* & Finished Construction C2. Elevations - Zones A1 - A30, AE, AH, A (with BFE), VE, V1 - V30, V (with BFE), AR, AR/A, AR/AE, AR/A1 - A30, AR/AH, AR/AO, mplete Items C2.a -h below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters. A new Elevation Certificate will be required when construction of the building is complete. Benchmark Utilized: LOCAL 467 5-5-15 Vertical Datum: NAVD 1988 Indicate elevation datum used for the elevations in Items a) through h) below. NGVD 1929 X NAVD 1988 C Other/Source: Deturn used for building elevations must be the same as that used for the BFE. Check the measurement user
Revised Date Revised Date (Zone AC), use base flood depth 12103C0112 G 08768/2009 AE 10.0 FEET 10.0 FE
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9: (FIS Profile IX FIRM Community Determined Other/Source: B11. Indicate elevation datum used for BFE in Item B9: (NGVD 1929 X NAVD 1988 Other/Source: B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? (Yes IX No Designation Date: NA CBRS OPA SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED) C1. Building elevations are based on: (Construction Drawings* Building Under Construction* X Finished Construction C2. Elevations - Zones A1 - A30, AE, AH, A (with BFE), VE, V1 - V30, V (with BFE), AR, AR/A, AR/AE, AR/A1 - A30, AR/AH, AR/AO, implete Items C2.a - In below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters. A new Elevation Certificate will be required when construction of the building is complete. Benchmark Utilized: LOCAL 467 5-5-15 Vertical Datum: NAVD 1988 (Other/Source: Other/Source: Check the measurement used for building elevations must be the same as that used for the BFE. Check the measurement used
FIS Profile & FIRM Community Determined Other/Source: B11. Indicate elevation datum used for BFE in Item B9: (NGVD 1929 & NAVD 1988 (Other/Source: B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? (Yes & No Designation Date: NA (CBRS (OPA SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED) C1. Building elevations are based on: (Construction Drawings* (Building Under Construction* & Finished Construction C2. Elevations - Zones A1 - A30, AE, AH, A (with BFE), VE, V1 - V30, V (with BFE), AR, AR/A, AR/AE, AR/A1 - A30, AR/AH, AR/AO. mplete Items C2.a - h below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters. A new Elevation Certificate will be required when construction of the building is complete. Benchmark Utilized: LOCAL 467 5-5-15 Vertical Datum: NAVD 1988 (Other/Source: NAVD 1988 Cother/Source: Check the measurement used
C1. Building elevations are based on: (`Construction Drawings' (`Building Under Construction' (X Finished Construction C2. Elevations - Zones A1 - A30, AE, AH, A (with BFE), VE, V1 - V30, V (with BFE), AR, AR/A, AR/AE, AR/A1 - A30, AR/AH, AR/AO, mplete Items C2.a -h below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters. A new Elevation Certificate will be required when construction of the building is complete. Benchmark Utilized: LOCAL 467 5-5-15 Vertical Datum: NAVD 1988 Indicate elevation datum used for the elevations in Items a) through h) below. (`NGVD 1929 (X NAVD 1988) Cother/Source: Check the measurement used
C2. Elevations - Zones At - A30, AE, AH, A (with BFE), VE, V1 - V30, V (with BFE), AR, AR/A, AR/AE, AR/A1 - A30, AR/AH, AR/AO, implete Items C2.a -h below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters. A new Elevation Certificate will be required when construction of the building is complete. Benchmark Utilized: LOCAL 467 5-5-15 Vertical Datum: NAVD 1988 (Other/Source: Check the measurement used for building elevations must be the same as that used for the BFE. Check the measurement used
Indicate elevation datum used for the elevations in items a) through h) below. (NGVD 1929 & NAVD 1988 (Other/Source: Check the measurement used for building elevations must be the same as that used for the BFE.
Cothen/Source: Check the measurement used for building elevations must be the same as that used for the BFE. Check the measurement used for the BFE.
Deturn used for building elevations must be the same as that used for the BFE. Check the measurement used
41.5
41.5
b) Top of the next higher floor
c) Bottom of the lowest horizontal structural member (V Zones only) NA - (6 feet (* meters
d) Attached garage (top of stab) 11.5 - (e) feet (meters
b) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) 14.0 - © feet Comments
) Lowest adjacent (finished) grade next to building (LAG) 11.1 - @ feet (meters
a) Highest adjacent (finished) grade next to building (HAG) 11.8 (Fixed Completes
n) Lowest adjacent grade at lowest elevation of tlack or steirs, including
structural support 6 feet (meters
PROVIDED BY BILL HYATT, PROFESSIONAL SURVEYOR FLORIDASURVEYOR (MANUAL COM
PROVIDED BY BILL HYATT, PROFESSIONAL SURVEYOR FLORIDASURVEYOR@AOLCOM EMA Form 086-0-33 (7/15) Replaces all previous editions. Page 3 of 15

Replaces all previous editions.

ELEVATION CERTIFICATE

* OMB Control Number: 1660-0008 Expiration: 11/30/2018

Page 4 of 15

470 HARBOR DRIVE NORTH, INDIAN ROCKS BEACH, FL 33785

FEMA Form 086-0-33 (7/15)

	SECTI	ON D - SURVEYOR, ENGI	NEER, OR	ARCHITECT CEI	RTIFICATION	
that the informa	ition on this Certificate re	led by a land surveyor, eng presents my best efforts to ir 18 U.S. Code, Section 10	interpret the	hitect authorized data available. I	by law to certify elevation information. I certify understand that any laise statement may be	
Check here	if attachments.	provided by a lice	and longitude in Section A licensed land surveyor?		WILL H. His	
Certifier's Name			No License Nur	nber	THE SERVICE AND ADDRESS OF THE PARTY OF THE	
BILL HYATT	FLORIDASUF		LS 4636		- 10 43 m II	
Title PRESIDENT		Company Name KNOW IT NOW INC		jas ilstale	Tare or X	
Address 1497 MAIN ST #321 Signature Good State Good		City DUNEDIN	State FL	Zip Code 34698	OUP TO	
		Date 6-3-16	Telepi +1 (r27) 415-8305	NE L'interes	
			nl 600 leasure		JL	
NOT TO	BE USED FOR CONS	and location , per C2(e), if TRUCTION OR DESIGN IS BASE OF AIR COND		JNIT		
Manufus Transfus	4 .]				6-3-2016	
~ Longiture	BXXX		-			
Signature SECTION I	E - BUIL NING ELEVATIO	W INCODMATION (STIDAY	EV NOT DE	ALIDEDI EAR 7	Date ONE AO AND ZONE A (WITHOUT BFE)	
highest adja	cent grade (HAG) and the tiom floor (including base	e lowest adjacent grade (L/		_	her the elevation is above or below the neters A above or below the HAG.	
b) Top of bo or enclose	tiom floor (including base are) is	ement, crawispaca,	<u> </u>	_ K feet (m	eters \(\square \) above or \(\square \) below the LAG.	
	Diagrams 6 -9 with perm valion C2.b in the diagram		ded in Secti NA -		for 9 (see pages 8 -9 of Instructions), the next meters above or below the HAG.	
	rage (top of slab) is		-	_ X feet (m	aters above or X below the HAG.	
avicing the bui	lding is		<u> </u>	_ K feet C m		
5. Zone AU on anagement or		er is available, is the top of o Cunknown. The loca			accordance with the community's floodplain mation in Section G.	
		ROPERTY OWNER (OR C				
					Zone A (without a FEMA-issued or correct to the best of my knowledge.	
Property Owner	or Owner's Authorized R	epresentative's Name:				
ddress		City		State	ZIP Code	
Agnature	× I I I I I I I I I I I I I I I I I I I	Date		Telephone		
comments		All				
8						
Ang an ma		No and the second sections			Check here if attachments	

Replaces all previous editions.

ELEVATION CERTIFICATE BUILDING PHOTOGRAPHS CONTINUATION PAGE

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. ADDRESS: 470 HARBOR DR N
INDIAN ROCKS BEACH, FL 33785

PICS TAKEN 5/27/2016 FRONT VIEW AND CONTINUING AROUND BUILDING











