ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

2 M 3, No 1067, 32 T expires Muv 11, 1993 english

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to termine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY INFORMATION			J	FOR INSURANCE COMPANY USE	
BUILDING OWNER'S NAME WADSWORTH DEVELOPMENT				POLICY NUMBER	
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER				COMPANY NAIC NUMBER	
OTHER DESCRIPTION (Lot and Block Numbers, etc.) LOT 22 HARBOUR HOUSE 9	19 HARBOUR	HOUSE ROAD			
CITY	i <u>i</u> -		STATE	ZIP CODE	
SECTION B F	LOOD INSURA	NCE RATE MAP (FIRM)	INFORMATION		
Provide the following from the proper FIRM (See	Instructions):			· · · · · ·	
1. COMMUNITY NUMBER 2. PANEL NUMBER 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2.	3. SUFFIX	4. DATE OF FIRM INDEX 3/2/83	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)	
Indicate the elevation datum system used on B. For Zones A or V, where no BFE is provided the community's BFE: feet N	on the FIRM, ar	nd the community has esta FIRM datum-see Section	ablished a BFE in B, Item 7).	for this building site, indicate	
SECTI	ON C BUILDI	NG ELEVATION INFORM	MATION		
 (b). FIRM Zones V1-V30, VE, and V (with BFE the selected diagram, is at an elevation of (c). FIRM Zone A (without BFE). The floor use below (check one) the highest grade at (d). FIRM Zone AO. The floor used as the reference) the highest grade adjacent to the build level) elevated in accordance with the community of the community of the properties of the propert	d as the reference diacent to the barence level from thing. If no flood munity's flood platermining the elevation daturent the elevation	deet NGVD (or other FIF nee level from the selecte building. In the selected diagram is depth number is availablain management ordinan above reference level elem used in measuring the ens to the datum system under the selected of the selected in the sele	d diagram is did diagram is detected by the building ce? The building ce wations: XX NG celevations is different building celevations is different building celevations.	Section B, Item 7). I leet above or above or below (check g's lowest floor (reference No Unknown VD '29 Other (describe erent than that used on	
5. The reference level elevation is based on: (NOTE: Use of construction drawings is only case this certificate will only be valid for the buy will be required once construction is complete	valid if the build uilding during th	ding does not yet have the	e reference leve		
 The elevation of the lowest grade immediately Section B, Item 7). 	adjacent to the	e building is: 1 1 16	feet NGVD	(or other FiRM datum-see	
s	ECTION D CO	OMMUNITY INFORMATION	NC		
If the community official responsible for verify is not the "lowest floor" as defined in the comfloor" as defined by the ordinance is:	munity's floodpl	lain management ordinan NGVD (or other FIRM dat	ce, the elevation um-see Section	n of the building's "lowest	


COTTLORITED E NOTTOEL

This conflication is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code. Section 1001.

CERTIFIER'S NAME	LICENSE NUMBER (or Affix S	(eal)				
WILLIAM R. DELONG	3616					
TITLE	COMPANY NAME					
VICE PRESIDENT	CAMPBELL CONSULTANTS, INC	3.				
5601-116TH AVENUE NORTH	CITY CLEARWATER	STATE FL	ZIP 34620			
SIGNATURE WILLIAM TO THE STATE OF THE STATE	DATE 10/6/92	PHONE 813-573-45	86			
Copies should be made of this Certificate for	: 1) community official, 2) insurance agent/co	mpany, and 3) buildin	g owner.			
OMMENTS						
100 a 000	,	•				
		-				



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.