U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program

ELEVATION CERTIFICATE

IMPORTANT: Follow the instructions on pages 1-9.

OMB No. 1660-0008 Expiration Date: July 31, 2015

	SECTI	ON A - PROPE	RTY INFORMATI	ON	FOR INSURANCE COMPANY USE			
A1.	Building Owner's Name Taylor Morrison of Florida	Policy Number:						
A2.	Building Street Address (including Apt., Unit, Suite, and/ 101 Haven Beach Dr	Company NAIC Number:						
7	^{City} Indian Rocks Beach	Such while the	State FL	7	^{ZIP Code} 33785			
A3.	Property Description (Lot and Block Numbers, Tax Parcel Lot 11 Cove at Indian Rocks Beach, PB 139 Pag	ges 43-45	I IN THE VIEW OF	=All I Allos				
A5. A6. A7.	Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) Residental Latitude/Longitude: Lat. N 27° 53' 14.1" Long. W 82° 50' 58.4" Horizontal Datum: □ NAD 1927 NAD 1983 Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance. Building Diagram Number 1A A9. For a building with an attached garage:							
	a) Square footage of crawlspace or enclosure(s) No. of permanent flood openings in the crawlspace o enclosure(s) within 1.0 foot above adjacent grade		b) Nu	uare footage of att mber of permanen hin 1.0 foot above	t flood openings in the attached garage adjacent grade N/A			
	c) Total net area of flood openings in A8.b d) Engineered flood openings? ✓ Yes No	1037 S		al net area of flood gineered flood ope				
	SECTION B – FLOOD	INSURANCE F	RATE MAP (FIRM	I) INFORMATIO	N Example Annual Example Examp			
	NFIP Community Name & Community Number City of Indian Rocks Beach 125117 Map/Panel Number B5. Suffix B6. FIRM Index D	B2. Coun	nty Name Pinellas Panel Effective/	B8. Flood Zone(s	B3. State Florida) B9. Base Flood Elevation(s) (Zone			
	12103C0113 G 08/18/200		sed Date 9/03/2003	AE	AO, use base flood depth)			
B12.	Indicate elevation datum used for BFE in Item B9: Is the building located in a Coastal Barrier Resources Sy Designation Date:n/a / CBRS SECTION C - BUILDING	S □ OPA			☐ Yes 🔀 No			
	OLOTION O BOILDING	0 TEFINITO 11 II						
	Building elevations are based on: Construction		Building Under Co		☑ Finished Construction			
C2.	Building elevations are based on: Construction I *A new Elevation Certificate will be required when constructions – Zones A1–A30, AE, AH, A (with BFE), VE, V1-C2.a–h below according to the building diagram specified Benchmark Utilized: Box cut on curb inlet Lot 12 Ele	uction of the build -V30, V (with BFE), d in Item A7. In Pu	Building Under Colling is complete.	onstruction* AR/A1-A30, AR/AI r meters.	☑ Finished Construction			
C2.	*A new Elevation Certificate will be required when constr Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1- C2.a–h below according to the building diagram specified Benchmark Utilized: Box cut on curb inlet Lot 12 Ele Indicate elevation datum used for the elevations in items	uction of the build -V30, V (with BFE), I in Item A7. In Pu v= 3.69' v a) through h) belo	Building Under Coling is complete. AR, AR, AR, AR, AR, erto Rico only, ente fertical Datum: NA BY BY NGVD 1929	onstruction* AR/A1-A30, AR/Al r meters. VD 1988 NAVD 1988	☑ Finished Construction H, AR/AO. Complete Items ☐ Other/Source:			
C2.	*A new Elevation Certificate will be required when constr Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1- C2.a–h below according to the building diagram specified Benchmark Utilized: Box cut on curb inlet Lot 12 Ele Indicate elevation datum used for the elevations in items Datum used for building elevations must be the same as	uction of the build -V30, V (with BFE), d in Item A7. In Pu- ev= 3.69' s a) through h) below that used for the	Building Under Colling is complete. , AR, AR/A, AR/AE, erto Rico only, ente vertical Datum: NA DW. NGVD 1929 BFE.	AR/A1-A30, AR/AI r meters. VD 1988 NAVD 1988 Check the me	☑ Finished Construction H, AR/AO. Complete Items ☐ Other/Source:			
C2.	*A new Elevation Certificate will be required when constr Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1- C2.a–h below according to the building diagram specified Benchmark Utilized: Box cut on curb inlet Lot 12 Ele Indicate elevation datum used for the elevations in items	uction of the build -V30, V (with BFE), d in Item A7. In Pu- ev= 3.69' s a) through h) below that used for the	Building Under Colling is complete. , AR, AR/A, AR/AE, erto Rico only, ente vertical Datum: NA DW. NGVD 1929 BFE. 6 4 16 2	onstruction* AR/A1-A30, AR/Al r meters. VD 1988 NAVD 1988	☑ Finished Construction H, AR/AO. Complete Items ☐ Other/Source:			
C2.	*A new Elevation Certificate will be required when constr Elevations Zones A1-A30, AE, AH, A (with BFE), VE, V1- C2.a-h below according to the building diagram specified Benchmark Utilized: Box cut on curb inlet Lot 12 Ele Indicate elevation datum used for the elevations in items Datum used for building elevations must be the same as a) Top of bottom floor (including basement, crawlspace, ob) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V	uction of the build V30, V (with BFE), d in Item A7. In Purice 3.69' s a) through h) below that used for the prediction or enclosure floor)	Building Under Colling is complete. , AR, AR/A, AR/AE, erto Rico only, ente fertical Datum: NA DW. NGVD 1929 BFE. 6 4 16 2 N/A	AR/A1–A30, AR/AI r meters. VD 1988 Check the me Check the me M feet M feet	Finished Construction I, AR/AO. Complete Items Other/Source:			
C2.	*A new Elevation Certificate will be required when constr Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1-C2.a–h below according to the building diagram specified Benchmark Utilized: Box cut on curb inlet Lot 12 Ele Indicate elevation datum used for the elevations in items Datum used for building elevations must be the same as a) Top of bottom floor (including basement, crawlspace, ob) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing	uction of the build V30, V (with BFE), d in Item A7. In Pu- ev= 3.69' s a) through h) below that used for the or enclosure floor) Zones only) the building	Building Under Colling is complete. , AR, AR/A, AR/AE, erto Rico only, ente vertical Datum: NA DW. NGVD 1929 BFE. 6 4 16 2	AR/A1-A30, AR/AI r meters. VD 1988 NAVD 1988 Check the me	Finished Construction A, AR/AO. Complete Items Other/Source: casurement used. meters meters			
C2.	*A new Elevation Certificate will be required when constr Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1- C2.a-h below according to the building diagram specified Benchmark Utilized: Box cut on curb inlet Lot 12 Ele Indicate elevation datum used for the elevations in items Datum used for building elevations must be the same as a) Top of bottom floor (including basement, crawlspace, of b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Comment f) Lowest adjacent (finished) grade next to building (LAG	uction of the build -V30, V (with BFE), d in Item A7. In Pu ev= 3.69' s a) through h) below that used for the or enclosure floor) Zones only) the building (s)	Building Under Colling is complete. AR, AR/A, AR/AE, erto Rico only, ente fertical Datum: NA DW. NGVD 1929 BFE. 6 4 16 2 N/A N/A N/A 10 7	AR/A1-A30, AR/AI r meters. VD 1988 Check the me Check the me feet feet feet feet Keet	Finished Construction H, AR/AO. Complete Items Other/Source:			
C2.	*A new Elevation Certificate will be required when constr Elevations Zones A1-A30, AE, AH, A (with BFE), VE, V1- C2.a-h below according to the building diagram specified Benchmark Utilized: Box cut on curb inlet Lot 12 Ele Indicate elevation datum used for the elevations in items Datum used for building elevations must be the same as a) Top of bottom floor (including basement, crawlspace, of b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Comment	uction of the build -V30, V (with BFE), d in Item A7. In Pu ev= 3.69' s a) through h) below that used for the or enclosure floor) Zones only) the building (s) 3)	Building Under Colling is complete. , AR, AR/A, AR/AE, erto Rico only, ente fertical Datum: NA ow. NGVD 1929 BFE. 6 4 16 2 N/A N/A 10 7	AR/A1-A30, AR/AI r meters. VD 1988 Check the me feet feet feet feet feet	Finished Construction H, AR/AO. Complete Items Other/Source:			
C2.	*A new Elevation Certificate will be required when constr Elevations Zones A1-A30, AE, AH, A (with BFE), VE, V1-C2.a-h below according to the building diagram specified Benchmark Utilized: Box cut on curb inlet Lot 12 Ele Indicate elevation datum used for the elevations in items Datum used for building elevations must be the same as a) Top of bottom floor (including basement, crawlspace, ob) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Comment f) Lowest adjacent (finished) grade next to building (LAG g) Highest adjacent grade at lowest elevation of deck or state of the service of the content of the cont	uction of the build -V30, V (with BFE), d in Item A7. In Pu- ev= 3.69' s a) through h) below that used for the or enclosure floor) Zones only) the building (s)) 3) stairs, including	Building Under Colling is complete. AR, AR/A, AR/AE, erto Rico only, ente Vertical Datum: NA Dow. NGVD 1929 BFE. 6 4 16 2 N/A N/A 10 7 5 9 6 0 N/A	AR/A1-A30, AR/AI r meters. VD 1988 Check the me Check the me Get Get Get Get Get Get Get Get Get Ge	Finished Construction I, AR/AO. Complete Items Other/Source:			
C2.	*A new Elevation Certificate will be required when constr Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1-C2.a–h below according to the building diagram specified Benchmark Utilized: Box cut on curb inlet Lot 12 Ele Indicate elevation datum used for the elevations in items Datum used for building elevations must be the same as a) Top of bottom floor (including basement, crawlspace, ob) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Comment f) Lowest adjacent (finished) grade next to building (LAG g) Highest adjacent grade at lowest elevation of deck or structural support	cuction of the build V30, V (with BFE), d in Item A7. In Pure 3.69' s a) through h) below that used for the pure enclosure floor) Zones only) the building (s)	Building Under Colling is complete. AR, AR/A, AR/AE, erto Rico only, ente Vertical Datum: NA Dow. NGVD 1929 BFE. 6 4 16 2 N/A N/A 10 7 5 9 6 0 N/A R, OR ARCHITEC tect authorized by laborts to interpret the	AR/A1-A30, AR/AI r meters. VD 1988 Check the me Check the me Get Get Get Get Get Get Get Get Get Ge	Finished Construction H, AR/AO. Complete Items Other/Source: Descurement used. Immeters I			
C2. This ceinformal under	*A new Elevation Certificate will be required when constr Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1-C2.a–h below according to the building diagram specified Benchmark Utilized: Box cut on curb inlet Lot 12 Ele Indicate elevation datum used for the elevations in items Datum used for building elevations must be the same as a) Top of bottom floor (including basement, crawlspace, ob) Top of the next higher floor c) Bottom of the lowest horizontal structural member (Vd) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Comment Describe type of equipment and location in Comment Describe type of equipment and location in Comment Describes type of equipment and location of Comment Describest adjacent (finished) grade next to building (LAG) Highest adjacent grade at lowest elevation of deck or structural support SECTION D — SURVEY STAND DESCRIPTION OF SURVEY STAND OF SURVEY SURVEY STAND OF SURVEY STAND OF SURVEY STAND OF SURVEY STAND OF SURVEY SURVEY SURVEY	cuction of the build V30, V (with BFE), d in Item A7. In Pure 3.69' s a) through h) below that used for the or enclosure floor) Zones only) the building ts) 3) stairs, including YOR, ENGINEER engineer, or architesents my best effor or imprisonment to	Building Under Colling is complete. AR, AR/A, AR/AE, erto Rico only, ente Vertical Datum: NA DW. NGVD 1929 BFE. 6 4 16 2 N/A N/A 10 7 5 9 6 0 N/A R, OR ARCHITEC tect authorized by later the under 18 U.S. Code, longitude in Sectio	AR/A1-A30, AR/AIr meters. VD 1988 Check the me feet feet feet feet feet feet feet	Finished Construction I, AR/AO. Complete Items Other/Source:			
This centification of the conformation of the	*A new Elevation Certificate will be required when constr Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1-C2.a–h below according to the building diagram specified Benchmark Utilized: Box cut on curb inlet Lot 12 Ele Indicate elevation datum used for the elevations in items Datum used for building elevations must be the same as a) Top of bottom floor (including basement, crawlspace, ob) Top of the next higher floor c) Bottom of the lowest horizontal structural member (Vd) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Comment Describe type of equipment and location in Comment Describe type of equipment and location in Comment Describes type of equipment and location of Comment Describest adjacent (finished) grade next to building (LAG) Highest adjacent grade at lowest elevation of deck or structural support SECTION D — SURVEY STAND DESCRIPTION OF SURVEY STAND OF SURVEY SURVEY STAND OF SURVEY STAND OF SURVEY STAND OF SURVEY STAND OF SURVEY SURVEY SURVEY	uction of the build V30, V (with BFE), d in Item A7. In Purice 3.69' s a) through h) below that used for the or enclosure floor) Zones only) the building (s)) 3) stairs, including YOR, ENGINEER engineer, or architesents my best effor or imprisonment of the work and ilicensed land surventions.	Building Under Colling is complete. AR, AR/A, AR/AE, erto Rico only, ente Vertical Datum: NA DW. NGVD 1929 BFE. 6 4 16 2 N/A N/A 10 7 5 9 6 0 N/A R, OR ARCHITEC tect authorized by later the under 18 U.S. Code, longitude in Sectio	AR/A1-A30, AR/AI r meters. VD 1988 NAVD 1988 Check the me feet feet feet feet feet feet feet fe	Finished Construction I, AR/AO. Complete Items Other/Source:			
This cee information under Certification Che	*A new Elevation Certificate will be required when constr Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1-C2.a-h below according to the building diagram specified Benchmark Utilized: Box cut on curb inlet Lot 12 Ele Indicate elevation datum used for the elevations in items Datum used for building elevations must be the same as a) Top of bottom floor (including basement, crawlspace, ob) Top of the next higher floor c) Bottom of the lowest horizontal structural member (Vd) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Comment Describe type of equipment and location in Comment (Insighed) grade next to building (LAG) Highest adjacent (finished) grade next to building (HAC) Lowest adjacent grade at lowest elevation of deck or structural support SECTION D – SURVEY extification is to be signed and sealed by a land surveyor, ation. I certify that the information on this Certificate representant that any false statement may be punishable by fine took here if comments are provided on back of form.	cuction of the build V30, V (with BFE), d in Item A7. In Pury = 3.69' s a) through h) belowed that used for the properties of the properties of the building states, including VOR, ENGINEER engineer, or architesents my best effector imprisonment to the work of the properties of t	Building Under Colling is complete. AR, AR/A, AR/AE, erto Rico only, enter fertical Datum: NA DW. NGVD 1929 BFE. 6 4 16 2 N/A N/A 10 7 5 9 6 0 N/A R, OR ARCHITEC tect authorized by later to interpret the funder 18 U.S. Code, longitude in Sectio deveyor?	AR/A1-A30, AR/Alr meters. VD 1988 Check the me set of feet set o	Finished Construction I, AR/AO. Complete Items Other/Source: Description Descri			
This centification of the conformation of the	*A new Elevation Certificate will be required when constr Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1-C2.a–h below according to the building diagram specified Benchmark Utilized: Box cut on curb inlet Lot 12 Ele Indicate elevation datum used for the elevations in items Datum used for building elevations must be the same as a) Top of bottom floor (including basement, crawlspace, ob) Top of the next higher floor c) Bottom of the lowest horizontal structural member (Vd) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Comment Describe type of equipment Describe type of eq	cuction of the build V30, V (with BFE), d in Item A7. In Pury = 3.69' s a) through h) belowed that used for the properties of the properties of the building states, including VOR, ENGINEER engineer, or architesents my best effector imprisonment to the work of the properties of t	Building Under Colling is complete. AR, AR/A, AR/AE, erto Rico only, ente vertical Datum: NA ow. NGVD 1929 BFE. 6 4 16 2 N/A 10 7 5 9 6 0 N/A R, OR ARCHITEC tect authorized by lacorts to interpret the bunder 18 U.S. Code, longitude in Section veyor? Yes License No. 5185	AR/A1-A30, AR/Alr meters. VD 1988 Check the me set of feet set o	Finished Construction I, AR/AO. Complete Items Other/Source:			

ELEVATION CERTIFICATE, page 2

(MDODTANT: In About an areas are the area		andless A	31 - 10 - 1	Trop moutains contain the		
IMPORTANT: In these spaces, copy the cor Building Street Address (including Apt., Unit,	EMTITION	FOR INSURANCE COMPANY USE Policy Number:				
101 Haven Beach Dr	Suite, and/or blug. No.) or EQ.	Houte and box N	0.	Poncy Number.		
City Indian Rocks Beach	State FL			Company NAIC Number:	mpany NAIC Number:	
SECTION D -	SURVEYOR, ENGINEER, O	R ARCHITECT	CERTIFICATION (CONTINUED)		
Copy both sides of this Elevation Certificate						
	f with a hand held GPS device. 540-510) in the enclosure's wa	The equipment rules, certified to ha	eferenced in C2e is the ndle 200 square feet;	e water heater, located inside the str 51 Vents 1" x 15" in the enclosure's v		
Signature Scott Rhowler		Date 10/0	8/2014		Ilin	
SECTION E - BUILDING ELEVATION	ON INFORMATION (SURVE	Y NOT REQUIR	ED) FOR ZONE A	AND ZONE A (WITHOUT BFE)	
For Zones AO and A (without BFE), complete For Items E1–E4, use natural grade, if availal E1. Provide elevation information for the follograde (HAG) and the lowest adjacent grade) Top of bottom floor (including basement b) Top of bottom floor (including basement)	ole. Check the measurement us owing and check the appropriate de (LAG). nt, crawlspace, or enclosure) is	sed. In Puerto Ric boxes to show w	o only, enter meters. hether the elevation is limited in the property in the	s above or below the highest adjacen ers	t 3.	
E2. For Building Diagrams 6–9 with permane	nt flood openings provided in So	ection A Items 8 a	and/or 9 (see pages 8	-9 of Instructions),		
the next higher floor (elevation C2.b in th	e diagrams) of the building is		feet met			
E3. Attached garage (top of slab) is	amont carylains the building in		☐ feet ☐ met ☐ feet ☐ met			
E4. Top of platform of machinery and/or equinous E5. Zone A0 only: If no flood depth number is ordinance? ☐ Yes ☐ No ☐ Unknow		tom floor elevated	in accordance with th			
SECTION F - I	PROPERTY OWNER (OR O	WNER'S REPR	ESENTATIVE) CER	TIFICATION		
The property owner or owner's authorized rep Zone AO must sign here. The statements in S				FEMA-issued or community-issued BF	E) or	
Property Owner or Owner's Authorized Repres		· A.Ti - & . E . Ti				
Address		City	St	ate ZIP Code		
Signature		Date	Te	lephone		
Comments				☐ Check here if attachmer	nts.	
	SECTION G - COMMUNIT					
The local official who is authorized by law or or G of this Elevation Certificate. Complete the ap G1. The information in Section C was ta who is authorized by law to certify e G2. A community official completed Secti	oplicable Item(s) and sign below. ken from other documentation levation information. (Indicate ion E for a building located in Z	Check the measure that has been significant the source and done A (without a F	rement used in Items of gned and sealed by a ate of the elevation do EMA-issued or commu	G8–G10. In Puerto Rico only, enter me licensed surveyor, engineer, or archi ata in the Comments area below.)	ters.	
G4. Permit Number	G5. Date Permit Issued		66. Date Certificate Of	Compliance/Occupancy Issued		
G7. This permit has been issued for: G8. Elevation of as-built lowest floor (including). G9. BFE or (in Zone AO) depth of flooding at G10. Community's design flood elevation:	ng basement) of the building:	antial Improvemen	t	ers Datum		
Local Official's Name		Title				
Community Name		Telephone				
Signature		Date			_	
Comments		III ORIII		All a green with		
				☐ Check here if attachmen	ıts	
				- oneov neigh attachinen	w.	

BUILDING PHOTOGRAPHS

See Instructions for Item A6.

IMPORTANT: In these spaces, copy the corre	FOR INSURANCE COMPANY USE				
Building Street Address (including Apt., Unit, 9 101 Haven Beach Dr	ding Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or PO. Route and Box No. 1 Haven Beach Dr				
City Indian Rocks Beach	State FL	ZIP Code 33785	Company NAIC Number:		

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



