O.M.B. NO. 3067-0077 Expires May 31, 1996

ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY INFORMATION					FOR INSURANCE COMPANY USE	
BUILDING OWNER'S NAME Seatrail Development Corp.					POLICY NUMBER	
STREET ADDRESS (Including Ap 1206 Gulf B	ot., Unit, Suite and/or Bldg. oulevard	COMPANY NAIC NUMBER				
OTHER DESCRIPTION (Lot and I	Block Numbers, etc.)			,		
Indian Rock	s Beach		STATE Florida	ZIP CODE 34635		
	SECTION B F	LOOD INSURA	NCE RATE MAP (FIRM)		04000	
Provide the following from the	ne proper FIRM (See	Instructions):				
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION	
127117	0003	В	3/2/83	A11	(in AO Zones, use depth)	
3. For Zones A or V, where the community's BFE:	no BrE is provided o	n the FIRM, an	d the community has esta	iblished a RFF fo	Other (describe on back) or this building site, indicate	
	SECTIO	ON C BUILDII	NG ELEVATION INFORM	ATION		
below (check one) (d). FIRM Zone AO. The flone) the highest grade	is at an elevation of L BFE). The floor used the highest grade ad oor used as the refer adjacent to the buildi dance with the comm um system used in de 2). (NOTE: If the e 2), (NOTE: If the e 3, Item 7], then convers s on Page 2.) used appears on FIF tion is based on: X ion drawings is only willy be valid for the buil	d as the referent jacent to the business. If no flood nunity's floodplatermining the ablevation datumnt the elevation actual construction of the build liding during the	feet NGVD (or other FIR ice level from the selected uilding. In the selected diagram is depth number is available ain management ordinance above reference level elevations to the datum system us. No (See Instructions or oction construction drawed in does not yet have the	M datum—see Se I diagram is	rection B, Item 7). J. L feet above or rove or below (check is lowest floor (reference No No Other (describe item) than that used on and show the conversion	
6. The elevation of the lower Section B, Item 7).			building is: 1 9	3 .feet NGVD (or other FIRM datum-see	
	SE	CTION D CO	MMUNITY INFORMATIO	N	4 - 4 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	
is not the "lowest floor" as floor" as defined by the or	defined in the comm	nunity's floodpla	ations specifies that the real management ordinance GVD (or other FIRM datu	e, the elevation o	of the building's "lowest	

SECTION E CERTIFICATION

owner's representative may also sign the certification. certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the information when the elevation information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required. This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation

included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered. enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall,

l understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available.

	[813] 822-4151	January 16,01595		
33713	atare Florida	orry 5t. Petersburg	A	MTON TINST AVERLE NOTTH
•	.onl .estai		Surveyor	
	(lse2	ентігієнз маме С. Fred Deuel		

COMMENTS:

QUARICA SI AMATS SIHT 00.0 Mean Sea Level: EMBOSSED MITH A SEA! 701.8 Elevation: HOL VALID UNLESS TIBH <u> Tuoriangrion:</u> BASIS OF BENCHMARK:

ADJACENT TEAET HEFERENCE GRADE ELEBENCE BASE FLOOD ELEVATION 13431 LEVEL BEFERENCE SOMES SOMES SOMES SONES ٨ PIERS, OR COLUMNS THEMSEAR SLAB ON DILES, HTIW NO

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member. Elevations for all A Zones should be measured at the top of the reference level floor. The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.