O.M.B. NO. 3067-0077 Expires May 31, 1996

ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to ovide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to elevation the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). Instructions for completing this form can be found on the following pages.

	SECTION A PRO	PERTY INFO	RMATION		FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME LILIAN DAVIS / THÔMAS J. SMITH					POLICY NUMBER
STREET ADDRESS (Including Apt., Unit, Suite and/or Bidg. Number) OR P.O. ROUTE AND BOX NUMBER 1515 GULF BOULEVARD					COMPANY NAIC NUMBER
THER DESCRIPTION (Lot and ELOT 3 & 4, BLO	Block Numbers, etc.) CK 26, RE-RE	VISED MA	AP OF INDIAN BE	ACH L	
INDIAN ROCKS B	EACH,			STATE	ZIP CODE FL
	SECTION B FL	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION	
ovide the following from th	ne proper FIRM (See	Instructions):		·	
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION
125117	0003	В	05-06-96	A-11	(in AO Zones, use depth)
For Zones A or V, where	no BFE is provided o	n the FIRM, ar	ase Flood Elevations (BFE nd the community has esta FIRM datum-see Section	ablished a BFE fo	Other (describe on back) or this building site, indicate
	SECTION	ON C BUILDI	ING ELEVATION INFORM	MATION	
(c). FIRM Zone A (without below (check one (d). FIRM Zone AO. The one) the highest grad level) elevated in acc 3. Indicate the elevation day under Comments on Pathe FIRM [see Section equation under Comme	t BFE). The floor used in the highest grade a floor used as the reference adjacent to the built ordance with the compatum system used in the last of l	d as the reference diacent to the erence level from ding. If no floor imunity's floody determining the elevation data went the elevation	om the selected diagram is ad depth number is available plain management ordinar e above reference level elum used in measuring the ions to the datum system in the selected in the datum system in the selected in the datum system in the selected in the se	d diagram is detailed in the second of the second is the building once? The second is different in the second in the FIRM of the second in the FIRM of the second in the s	bove or below (check 's lowest floor (reference No Unknown
			No (See Instructions		N.
(NOTE: Use of constru	uction drawings is only only be valid for the b	y valid if the bu building during	truction construction will ding does not yet have to the course of construction	he reference leve	I floor in place, in which ction Elevation Certificate
The elevation of the lov Section B, Item 7).	vest grade immediate	ely adjacent to	the building is:	∄.B.feet NGV□	(or other FIRM datum-see
		SECTION D	COMMUNITY INFORMAT	ION	
floor" as defined by the	as defined in the core ordinance is:	nmunity's flood	levations specifies that the ipiain management ordina t NGVD (or other FIRM date	nce, the elevation	indicated in Section C, Item 1 n of the building's "lowest B, Item 7).


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIEN AMEPENNY	LICENSE NUMBER (or Affix Seal) #4931 COMPANY NAME.R. PENNY & ASSOCIATES, INC.				
TITEND SURVEYOR					
10730 102 AVENUE N.	CITY SEMINOLE	FLATE 3778 ZIP			
SIGNATURE Lawren R. Penny	DATE PHONE 11-24-97 727-398-4	2 2 A 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2			
	: 1) community official, 2) insurance agent/company, and				
COMMENTS:					
THIS CERTIFICATE IS F	OR THE NEW CONSTRUCTION				
		•			



DATE MAY

The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.

THIS IS A DUPLICATION OF PREVIOUS CERTIFICATE ISSUED /